




SMART⁺ WIFI CUBE



	EAN	W	lm	K	Δ (°C)	V~	mA	Hz	PF
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	13.5	900	3000	-20...+40	220-240	59	50/60	>0.5
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	9.5	450	3000	-20...+40	220-240	41	50/60	>0.5
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	9.5	450	3000	-20...+40	220-240	41	50/60	>0.5
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	9.5	450	3000	-20...+40	220-240	41	50/60	>0.5

1x

630 g
4058075478077

900 g
4058075478152

540 g
4058075478114

1200 g
4058075478176

mm

	L	W	H
WIFI CUBEUPDOWN	110	80	205
WIFI CUBE WALL	110	80	116
WIFI CUBE 50CM	120	120	500
WIFI CUBE 80CM	120	120	800

1






ON
OFF

2

(b)

3

4





IP44 RoHS

C10449057
G11101879
24.07.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com