

Kompatibilitätsliste Linsen für die PowerBar V3



LEDIL Flare

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
C12763_FLARE-MINI-A	O	16	108+12	93	1.600	PMMA	glue	link
CA12764_FLARE-MINI-A	REC	16	106+11	93	1.700	PMMA	tape	link
C12837_FLARE-MINI-A-PIN	O	16	108+12	93	1.600	PMMA	glue, pin	link
CA12838_FLARE-MINI-A-PIN	REC	16	106+11	93	1.700	PMMA	tape, pin	link



LEDIL Florentina

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
C14446_FLORENTINA-SHD	-	286.8+27.45					Glue, Pin	link
CP14866_FLORENTINA-HLD-RS	RS	285.6+19.5	11	84	15.600	PMMA	screw	link
CP14993_FLORENTINA-HLD-SS*	SS	285.6+19.5	20	86	5.800	PMMA	screw	link
CP14994_FLORENTINA-HLD-M	M	285.6+19.5	27	83	3.200	PMMA	screw	link
CP14995_FLORENTINA-HLD-O	O	285.6+19.5	34+12	84	4.900	PMMA	screw	link
CP14996_FLORENTINA-HLD-D	D	285.6+19.5	14	84	8.200	PMMA	screw	link
FP14997_FLORENTINA-HLD-W	W	285.6+19.5	33	85	2.100	PMMA	screw	link
FP14998_FLORENTINA-HLD-WW	WW	285.6+19.5	32	85	1.700	PMMA	screw	link

*Bitte mit 2,5 Nm anziehen.



LEDIL Heidi

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA14000_HEIDI-M-NP	M	21.56	29	93	4.017	PMMA	tape	link
CA11264_HEIDI-D	D	21.6	9	92	15.000	PMMA	pin, tape	link
CA11265_HEIDI-M	M	21.6	26	90	3.400	PMMA	tape, pin	link
CA11266_HEIDI-O	O	21.6	50+8	85	4.500	PMMA	pin, tape	link
CA11267_HEIDI-O-90	O-90	21.6	9+48	86	4.700	PMMA	tape, pin	link
CA11268_HEIDI-W	W	21.6	32	88	2.750	PMMA	pin, tape	link
CA11663_HEIDI-RS	RS	21.6	7	93	24.700	PMMA	pin, tape	link

CA12079_HEIDI-W2	W2	21.6	40	81	1.210	PMMA	tape, pin	link
CA12242_HEIDI-SS	SS	21.6	14	91	7.500	PMMA	tape, pin	link
CA12443_HEIDI-SS	SS	21.6	12	91	11.700	PMMA	tape, pin	link
CA12530_HEIDI-D	D	21.6	13	87	9.100	PMMA	tape, pin	link
CA12536_HEIDI-M	M	21.6	27	88	3.900	PMMA	tape, pin	link
CA12537_HEIDI-RS	RS	21.6	7	89	28.500	PMMA	tape, pin	link
CA12538_HEIDI-W	W	21.6	32	86	2.900	PMMA	tape, pin	link
CA12815_HEIDI-O-90	O-90	21.6	9+50	93	4.850	PMMA	pin, tape	link
CA14057_HEIDI-REC	REC	21.6	35+57	76	1.370	PMMA	pin, tape	link
CA14197_HEIDI-REC-90	REC	21.6	36+57	78	1.300	PMMA	pin, tape	link



LEDIL Julia

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
FA11948_JULIA-A	Wide-Area	18.8	159	90	0.300	PMMA	tape, pin	link
F11947_JULIA-A	Wide-Area	18.86	159	90	0.300	PMMA	pin, glue	link



LEDIL Laura

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA11837_LAURA-M-PIN	M	21.6 x 21.6	26	87	2.720	PMMA	tape, pin	link
CA11959_LAURA-RS-PIN	RS	21.6 x 21.6	7	92	42.000	PMMA	tape, pin	link
CA11960_LAURA-D-PIN	D	21.6 x 21.6	12	83	8.900	PMMA	tape, pin	link
CA12011_LAURA-SS-PIN	SS	21.6 x 21.6	11	91	12.500	PMMA	tape, pin	link
CA12012_LAURA-O-PIN	O	21.6 x 21.6	36+10	86	4.440	PMMA	tape, pin	link
CA12344_LAURA-W-PIN	W	21.6 x 21.6	34	85		PMMA	tape, pin	link
CA13307_LAURA-O-WAS-PIN	O	21.6 x 21.6	Asymmetric	84	3.100	PMMA	pin, tape	link
CP13308_LAURA-O-WAS-PG	O	21.6 x 21.6	Asymmetric	84	3.100	PMMA	glue, pin	link
CP13311_LAURA-SS-WAS-PG	Asymmetric	21.6 x 21.6	Asymmetric	90	12.200	PMMA	glue, pin	link
CA13312_LAURA-SS-WAS-PIN	Asymmetric	21.6 x 21.6	Asymmetric	90	12.200	PMMA	tape, pin	link



LEDIL Leila

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA11640_LR2-O-90	O-90	21.6	44+9	94	6.000	PMMA	tape, pin	link
CA12263_LR2-D	D	21.6	11	94	13.500	PMMA	pin, tape	link
CA12264_LR2-M	M	21.6	23	94	6.100	PMMA	pin, tape	link
FCA12265_LR2-W	W	21.6	37	94	2.100	PMMA	tape, pin	link
CA12393_LR2-W	W	21.6	32	94	2.600	PMMA	tape, pin	link
CP12412_LOS-RS	RS	21.6	6	93	40.000	PMMA	glue, pin	link
CP12413_LOS-D	D	21.6	11	87	12.700	PMMA	glue, pin	link
CP12414_LOS-M	M	21.6	22	87	3.940	PMMA	glue, pin	link
CP12415_LOS-O-90	O-90	21.6	9+42	93	6.000	PMMA	pin, glue	link
CP12416_LOS-W	W	21.6	34	92	2.600	PMMA	glue, pin	link
CP13059_LOS-RS2	RS2	21.6	5	93	38.600	PMMA	pin, glue	link
CA14505_G2-LXP2-RS2-P	RS2	21.8	5	90	41.900	PMMA	pin, tape	link



LEDIL Lisa

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CP11627_LISA-RS	RS	10.8	13	94	8.900	PMMA	glue	link
FP11002_LISA2-W-PIN	W	9.9	46	90	2.000	PMMA	glue, pin	link
FP11003_LISA2-WW-PIN	WW	9.9	45	91	1.200	PMMA	glue, pin	link
FP11047_LISA2-RS-PIN	RS	9.9	16	92		PMMA	glue, pin	link
FP11124_LISA2-O-PIN	O	9.9	48+19	82		PMMA	pin, glue	link
FP11852_LISA2-O-90-PIN	O-90	9.9	48+19			PMMA	pin, glue	link
FP11957_LISA2-WWW-PIN	WWW	9.9	91	68	0.350	PMMA	glue, pin	link
C12469_LISA2-R-PIN	WWW	9.9	83	91	0.300	PMMA	glue, pin	link



LEDIL Lotta

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA11519_LOTTA-A	Wide-Area	19.6+15.4	177	84	0.330	PMMA	screw,	link



LEDIL Regina

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
C11347_REGINA	RS	19	6	84	24.000	PC	pin, glue	link




LEDIL Strada

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
C10949_STRADA-B2	Street	19.6 x 15.5	110+50	92		PMMA	glue, pin, screw	link
CA10950_STRADA-B2	Street	19.6 x 15.5	110+50	92		PMMA	tape, pin, screw	link
CA11248_STRADA-S	S	19.6 x 15.5	148+170	93	0.440	PMMA	pin, tape, screw	link
C11249_STRADA-S	S	19.6 x 15.5	146+170	93	0.440	PMMA	pin, screw	link
C11252_STRADA-C2	Street	19.6 x 15.5	92	92		PMMA	glue, pin, screw	link
CA11253_STRADA-C2	Street	19.6 x 15.5	92	92		PMMA	tape, pin	link
C11255_STRADA-DW	Street	19.6 x 15.5	92+142	92		PMMA	glue, pin, screw	link
CA11256_STRADA-DW	Street	19.6 x 15.5	92+142	92		PMMA	tape, pin, screw	link
C11415_STRADA-T-DN	Street	19.6 x 15.5	Asymmetric	92		PMMA	glue, pin, screw	link
CA11416_STRADA-T-DN	Street	19.6 x 15.5	Asymmetric	92		PMMA	tape, pin, screw	link
C11425_STRADA-T-DW	Street	19.6 x 15.5	Asymmetric	93		PMMA	pin, tape	link
CA11426_STRADA-T-DW	Street	19.6 x 15.5	Asymmetric	92		PMMA	pin, tape, screw	link
2F11896_STRADA-T-DN-EP	Street	19.6 x 15.5	Asymmetric			PMMA	glue, screw	link
2F11898_STRADA-T-DW-EP	Street	19.6 x 15.5	Asymmetric	92		PMMA	glue, screw	link
2FA11992_STRADA-T-DN-EP	Street	19.6 x 15.5	Asymmetric			PMMA	tape, screw	link
2FA11993_STRADA-T-DW-EP	Street	19.6 x 15.5	Asymmetric	92		PMMA	tape, screw	link
C12049_STRADA-FT	Asymmetric	19.6 x 15.5	Asymmetric	92		PMMA	glue, pin, screw	link
CA12050_STRADA-FT	Asymmetric	19.6 x 15.5	Asymmetric	92		PMMA	tape, pin, screw	link
C12086_STRADA-FW	Asymmetric	19.6 x 15.5	Asymmetric	92		PMMA	glue, pin, screw	link
CA12087_STRADA-FW	Asymmetric	19.6 x 15.5	Asymmetric	92		PMMA	tape, pin, screw	link



LEDIL Tina

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA12374_TINA2-RS	RS	16	11	90	19.500	PMMA	tape, pin	link
CA12375_TINA2-D	D	16	14	89	9.300	PMMA	pin, tape	link
CA12376_TINA2-SS	SS	16	22	89	6.300	PMMA	tape, pin	link
CA12377_TINA2-M	M	16	30	87	2.500	PMMA	tape, pin	link
CA12378_TINA2-W	W	16	53	85	1.200	PMMA	tape, pin	link
CA12379_TINA2-O	O	16	38+13	87	3.700	PMMA	tape, pin	link
FA11204_TINA-O	O	16.1	32+14	91	3.330	PMMA	pin, tape	link
FA11205_TINA-D	D	16.1	14	89	6.700	PMMA	tape, pin	link
FA11206_TINA-M	M	16.1	30	85	1.970	PMMA	pin, tape	link
FA11207_TINA-W	W	16.1	50	90	0.900	PMMA	tape, pin	link
FA11824_TINA3-W	W	16.1	37	89	2.030	PMMA	tape, pin	link
FA11825_TINA3-WW	WW	16.1	44	91	1.400	PMMA	tape, pin	link
FA11826_TINA3-WWW	WWW	16.1	68	88	0.700	PMMA	tape, pin	link
FA11870_TINA3-OO	OO	16.1	53+36	90	1.500	PMMA	tape, pin	link
FA11905_TINA3-S	S	16.1	9	84	18.400	PMMA	tape, pin	link
CP12687_TINA2-RS	RS	16.1	10	90	17.800	PMMA	glue	link
CP12688_TINA2-D	D	16.1	12	89	10.500	PMMA	glue	link
CP12689_TINA2-O	O	16.1	39+12	87	4.700	PMMA	glue	link
CP12690_TINA2-M	M	16.1	30	87	3.000	PMMA	glue	link



LEDIL Larisa

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CP15304_LARISA-RS-PIN	RS	9.9 +9.9	16	87	8.100	PMMA	pin, glue	link
CP15305_LARISA-M-PIN	M	9.9 +9.9	30	88	2.600	PMMA	pin, glue	link
CP15306_LARISA-O-PIN	O	9.9 +9.9	39+19	84	2.900	PMMA	pin, glue	link
CP15307_LARISA-W-PIN	W	9.9 +9.9	55	86	1.200	PMMA	glue, pin	link
CP15308_LARISA-WW-PIN	WW	9.9 +9.9	66	84	0.900	PMMA	glue, pin	link
CP15309_LARISA-RZ-PIN		9.9 +9.9	32	72	1.600	PMMA	glue, pin	link



LEDIL Rose*

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA19412_ROSE-UV-G3-SS	SS	21.57 x 21.57	12			Silicone	tape	link
CA19406_ROSE-UV-G3-S	S	21.57 x 21.57	14			Silicone	tape	link
CA19407_ROSE-UV-G3-M	M	21.57 x 21.57	24			Silicone	tape	link
CA19408_ROSE-UV-G3-W	W	21.57 x 21.57	40			Silicone	tape	link
CA19501_ROSE-UV-G3-O	O	21.57 x 21.57	20 + 35			Silicone	tape	link

*Wellenlänge 365 nm

LEDIL Rose**

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
CA19412_ROSE-UV-G3-SS	SS	21.57 x 21.57	12			Silicone	tape	link
CA19406_ROSE-UV-G3-S	S	21.57 x 21.57	14			Silicone	tape	link
CA19411_ROSE-UV-G3-M2	M	21.57 x 21.57	28			Silicone	tape	link
CA19410_ROSE-UV-G3-W2	W	21.57 x 21.57	30			Silicone	tape	link
CA19501_ROSE-UV-G3-O	O	21.57 x 21.57	20 + 35			Silicone	tape	link

**Wellenlängen 385 nm und 405 nm



CARCLO

Product Number	Beam	Diameter	FWHM	Efficiency	cd/lm	Material/Lens	Fastening	URL
10412_Narrow Spot TIR	NS	10 x 10	15	90	12.000	PMMA	glue, pin	link
10414_Wide Spot TIR	WS	10 x 10	34	79,9	2.400	PMMA	glue, pin	link
10415_Elliptical TIR	Elliptical	10 x 10	45.5 x 16.3	87.1	4.100	PMMA	glue, pin	link
10417_Medium Spot TIR	MS	10 x 10	14.3	85.7	12.700	PMMA	glue, pin	link